

Chariton County, Missouri: Detailed Soil Map Legend

Forest Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Erosion on roads and trails		Off-road or off-trail erosion		Soil rutting		Log landings		Seedling survival	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
10B2: Lagonda-----	Moderately limited ~slope/erodibility (moderately limited)	0.44	Slightly limited ~slope/erodibility (slightly limited)	0.10	Limited ~low strength (limited) ~seasonal wetness	0.80 0.15	Moderately limited ~low strength (moderately limited) ~seasonal wetness	0.50 0.15	Not limited	
					(slightly limited)		(slightly limited)			
11C2: Lagonda-----	Limited ~slope/erodibility (limited)	0.78	Slightly limited ~slope/erodibility (slightly limited)	0.17	Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80 0.15	Moderately limited ~low strength (moderately limited) ~stickiness (surface) (moderately limited) ~slope (slightly limited)	0.50 0.50 0.15	Not limited	
12B2: Bevier-----	Moderately limited ~slope/erodibility (moderately limited)	0.44	Slightly limited ~slope/erodibility (slightly limited)	0.10	Limited ~low strength (limited)	0.80	Moderately limited ~stickiness (surface) (moderately limited) ~low strength (moderately limited)	0.50 0.50	Not limited	
15B: Grundy-----	Moderately limited ~slope/erodibility (moderately limited)	0.44	Slightly limited ~slope/erodibility (slightly limited)	0.10	Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80 0.15	Moderately limited ~low strength (moderately limited) ~seasonal wetness (slightly limited)	0.50 0.15	Not limited	
16: Crestmeade-----	Slightly limited ~slope/erodibility (slightly limited)	0.22	Slightly limited ~slope/erodibility (slightly limited)	0.05	Limited ~low strength (limited) ~seasonal wetness (moderately limited)	0.80 0.60	Moderately limited ~seasonal wetness (moderately limited) ~low strength (moderately limited)	0.60 0.50	Moderately limited ~seasonal wetness (moderately limited)	0.60

Chariton County, Missouri: Detailed Soil Map Legend

Forest Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Erosion on roads and trails		Off-road or off-trail erosion		Soil rutting		Log landings		Seedling survival	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
19C2: Menfro-----	Limited ~slope/erodibility (limited)	0.67	Slightly limited ~slope/erodibility (slightly limited)	0.15	Limited ~low strength (limited)	0.80	Moderately limited ~low strength (moderately limited)	0.50	Very limited ~seasonal wetness (very limited)	1.00
19F: Menfro-----	Very limited ~slope/erodibility (very limited)	1.00	Moderately limited ~slope/erodibility (moderately limited)	0.49	Limited ~low strength (limited)	0.80	Very limited ~slope (very limited) ~low strength (moderately limited)	1.00 0.50	Very limited ~seasonal wetness (very limited)	1.00
20A: Shannondale----	Slightly limited ~slope/erodibility (slightly limited)	0.11	Slightly limited ~slope/erodibility (slightly limited)	0.02	Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80 0.15	Moderately limited ~low strength (moderately limited) ~seasonal wetness (slightly limited)	0.50 0.15	Not limited	
20C2: Shannondale----	Moderately limited ~slope/erodibility (moderately limited)	0.56	Slightly limited ~slope/erodibility (slightly limited)	0.10	Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80 0.15	Moderately limited ~low strength (moderately limited) ~seasonal wetness (slightly limited)	0.50 0.15	Not limited	
21C2: Knox-----	Limited ~slope/erodibility (limited)	0.78	Slightly limited ~slope/erodibility (slightly limited)	0.14	Limited ~low strength (limited)	0.80	Moderately limited ~low strength (moderately limited) ~slope (slightly limited)	0.50 0.15	Very limited ~seasonal wetness (very limited)	1.00

Chariton County, Missouri: Detailed Soil Map Legend

Forest Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Erosion on roads and trails		Off-road or off-trail erosion		Soil rutting		Log landings		Seedling survival	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
22F3: Knox-----	Very limited ~slope/erodibility (very limited)	1.00	Moderately limited ~slope/erodibility (moderately limited)	0.39	Limited ~low strength (limited)	0.80	Very limited ~slope (very limited) ~low strength (moderately limited)	1.00 0.50	Very limited ~seasonal wetness (very limited)	1.00
23B2: Higginsville---	Moderately limited ~slope/erodibility (moderately limited)	0.44	Slightly limited ~slope/erodibility (slightly limited)	0.10	Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80 0.15	Moderately limited ~low strength (moderately limited) ~seasonal wetness (slightly limited)	0.50 0.15	Not limited	
23C2: Higginsville---	Limited ~slope/erodibility (limited)	0.78	Slightly limited ~slope/erodibility (slightly limited)	0.17	Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80 0.15	Moderately limited ~low strength (moderately limited) ~slope (slightly limited) ~seasonal wetness (slightly limited)	0.50 0.15 0.15	Not limited	
25B: Wakenda-----	Moderately limited ~slope/erodibility (moderately limited)	0.44	Slightly limited ~slope/erodibility (slightly limited)	0.08	Limited ~low strength (limited)	0.80	Moderately limited ~low strength (moderately limited)	0.50	Not limited	
25C2: Wakenda-----	Limited ~slope/erodibility (limited)	0.78	Slightly limited ~slope/erodibility (slightly limited)	0.14	Limited ~low strength (limited)	0.80	Moderately limited ~low strength (moderately limited) ~slope (slightly limited)	0.50 0.15	Not limited	

Chariton County, Missouri: Detailed Soil Map Legend

Forest Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Erosion on roads and trails		Off-road or off-trail erosion		Soil rutting		Log landings		Seedling survival	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
26B: Armstrong-----	Limited ~slope/erodibility (limited)	0.78	Slightly limited ~slope/erodibility (slightly limited)	0.14	Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80 0.20	Moderately limited ~low strength (moderately limited) ~seasonal wetness (slightly limited) ~slope (slightly limited)	0.50 0.20 0.15	Not limited	
26C2: Armstrong-----	Limited ~slope/erodibility (limited)	0.78	Slightly limited ~slope/erodibility (slightly limited)	0.14	Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80 0.20	Moderately limited ~low strength (moderately limited) ~seasonal wetness (slightly limited) ~slope (slightly limited)	0.50 0.20 0.15	Not limited	
26D2: Armstrong-----	Very limited ~slope/erodibility (very limited)	1.00	Slightly limited ~slope/erodibility (slightly limited)	0.24	Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80 0.20	Limited ~slope (limited) ~low strength (moderately limited) ~seasonal wetness (slightly limited)	0.76 0.50 0.20	Not limited	
27D3: Armstrong-----	Very limited ~slope/erodibility (very limited)	1.00	Slightly limited ~slope/erodibility (slightly limited)	0.29	Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80 0.20	Limited ~slope (limited) ~low strength (moderately limited) ~stickiness (surface) (moderately limited)	0.76 0.50 0.50	Not limited	

Chariton County, Missouri: Detailed Soil Map Legend

Forest Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Erosion on roads and trails		Off-road or off-trail erosion		Soil rutting		Log landings		Seedling survival	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
28C: Keswick-----	Limited ~slope/erodibility (limited)	0.78	Slightly limited ~slope/erodibility (slightly limited)	0.14	Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80 0.20	Moderately limited ~low strength (moderately limited) ~seasonal wetness (slightly limited) ~slope (slightly limited)	0.50 0.20 0.15	Not limited	
31F: Winnegan-----	Very limited ~slope/erodibility (very limited)	1.00	Moderately limited ~slope/erodibility (moderately limited)	0.39	Limited ~low strength (limited)	0.80	Very limited ~slope (very limited) ~low strength (moderately limited)	1.00 0.50	Not limited	
36D2: Gosport-----	Very limited ~slope/erodibility (very limited)	1.00	Slightly limited ~slope/erodibility (slightly limited)	0.29	Limited ~low strength (limited)	0.80	Limited ~slope (limited) ~low strength (moderately limited)	0.76 0.50	Very limited ~seasonal wetness (very limited)	1.00
36F: Gosport-----	Very limited ~slope/erodibility (very limited)	1.00	Moderately limited ~slope/erodibility (moderately limited)	0.54	Limited ~low strength (limited)	0.80	Very limited ~slope (very limited) ~low strength (moderately limited)	1.00 0.50	Very limited ~seasonal wetness (very limited)	1.00
37D2: Newcomer-----	Very limited ~slope/erodibility (very limited)	1.00	Slightly limited ~slope/erodibility (slightly limited)	0.24	Limited ~low strength (limited)	0.80	Limited ~slope (limited) ~low strength (moderately limited)	0.76 0.50	Very limited ~seasonal wetness (very limited)	1.00

Chariton County, Missouri: Detailed Soil Map Legend

Forest Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Erosion on roads and trails		Off-road or off-trail erosion		Soil rutting		Log landings		Seedling survival	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
37F: Newcomer-----	Very limited ~slope/erodibility (very limited)	1.00	Moderately limited ~slope/erodibility (moderately limited)	0.43	Limited ~low strength (limited)	0.80	Very limited ~slope (very limited) ~low strength (moderately limited)	1.00 0.50	Very limited ~seasonal wetness (very limited)	1.00
40F: Putco-----	Very limited ~slope/erodibility (very limited)	1.00	Moderately limited ~slope/erodibility (moderately limited)	0.59	Limited ~low strength (limited)	0.80	Very limited ~slope (very limited) ~low strength (moderately limited) ~stickiness (surface) (moderately limited)	1.00 0.50 0.50	Very limited ~seasonal wetness (very limited)	1.00
42F: Schuline-----	Very limited ~slope/erodibility (very limited)	1.00	Moderately limited ~slope/erodibility (moderately limited)	0.44	Limited ~low strength (limited)	0.80	Very limited ~slope (very limited) ~low strength (moderately limited)	1.00 0.50	Very limited ~seasonal wetness (very limited)	1.00
Pits-----	Not rated		Not rated		Not rated		Not rated		Not rated	
47: Dockery-----	Slightly limited ~slope/erodibility (slightly limited)	0.11	Slightly limited ~slope/erodibility (slightly limited)	0.02	Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80 0.10	Very limited ~flooding (very limited) ~low strength (moderately limited) ~seasonal wetness (slightly limited)	1.00 0.50 0.10	Limited ~flooding (limited)	0.90

Chariton County, Missouri: Detailed Soil Map Legend

Forest Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Erosion on roads and trails		Off-road or off-trail erosion		Soil rutting		Log landings		Seedling survival	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
50: Blackoar-----	Slightly limited ~slope/erodibility (slightly limited)	0.11	Slightly limited ~slope/erodibility (slightly limited)	0.02	Limited ~seasonal wetness (limited) ~low strength (limited)	0.91 0.80	Limited ~seasonal wetness (limited) ~flooding (moderately limited) ~low strength (moderately limited)	0.91 0.60 0.50	Limited ~seasonal wetness (limited) ~flooding (moderately limited)	0.91 0.60
53: Colo-----	Slightly limited ~slope/erodibility (slightly limited)	0.11	Slightly limited ~slope/erodibility (slightly limited)	0.02	Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80 0.20	Moderately limited ~flooding (moderately limited) ~low strength (moderately limited) ~seasonal wetness (slightly limited)	0.60 0.50 0.20	Moderately limited ~flooding (moderately limited)	0.60
54: Zook-----	Slightly limited ~slope/erodibility (slightly limited)	0.11	Slightly limited ~slope/erodibility (slightly limited)	0.02	Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80 0.29	Moderately limited ~flooding (moderately limited) ~stickiness (surface) (moderately limited) ~low strength (moderately limited)	0.60 0.50 0.50	Moderately limited ~flooding (moderately limited)	0.60
56: Triplett-----	Slightly limited ~slope/erodibility (slightly limited)	0.11	Slightly limited ~slope/erodibility (slightly limited)	0.02	Limited ~low strength (limited) ~seasonal wetness (moderately limited)	0.80 0.60	Moderately limited ~seasonal wetness (moderately limited) ~low strength (moderately limited)	0.60 0.50	Moderately limited ~seasonal wetness (moderately limited)	0.60

Chariton County, Missouri: Detailed Soil Map Legend

Forest Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Erosion on roads and trails		Off-road or off-trail erosion		Soil rutting		Log landings		Seedling survival	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
60: Portage-----	Slightly limited ~slope/erodibility (slightly limited)	0.11	Slightly limited ~slope/erodibility (slightly limited)	0.02	Very limited ~seasonal wetness (very limited) ~low strength (limited)	1.00 0.80	Very limited ~seasonal wetness (very limited) ~seasonally ponded (limited) ~stickiness (surface) (limited)	1.00 0.80 0.75	Very limited ~seasonal wetness (very limited) ~flooding (moderately limited)	1.00 0.60
61: Carlow-----	Slightly limited ~slope/erodibility (slightly limited)	0.11	Slightly limited ~slope/erodibility (slightly limited)	0.02	Limited ~seasonal wetness (limited) ~low strength (limited)	0.91 0.80	Limited ~seasonal wetness (limited) ~stickiness (surface) (limited) ~flooding (moderately limited)	0.91 0.75 0.60	Limited ~seasonal wetness (limited) ~flooding (moderately limited)	0.91 0.60
62: Carlow-----	Slightly limited ~slope/erodibility (slightly limited)	0.11	Slightly limited ~slope/erodibility (slightly limited)	0.02	Limited ~seasonal wetness (limited) ~low strength (limited)	0.91 0.80	Limited ~seasonal wetness (limited) ~stickiness (surface) (limited) ~low strength (moderately limited)	0.91 0.75 0.50	Limited ~seasonal wetness (limited)	0.91
64: Tina-----	Slightly limited ~slope/erodibility (slightly limited)	0.11	Slightly limited ~slope/erodibility (slightly limited)	0.02	Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80 0.15	Moderately limited ~low strength (moderately limited) ~seasonal wetness (slightly limited)	0.50 0.15	Not limited	

Chariton County, Missouri: Detailed Soil Map Legend

Forest Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Erosion on roads and trails		Off-road or off-trail erosion		Soil rutting		Log landings		Seedling survival	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
66C2: Gifford-----	Limited ~slope/erodibility (limited)	0.67	Slightly limited ~slope/erodibility (slightly limited)	0.15	Limited ~low strength (limited) ~seasonal wetness (moderately limited)	0.80 0.45	Moderately limited ~low strength (moderately limited) ~seasonal wetness (moderately limited)	0.50 0.45	Moderately limited ~seasonal wetness (moderately limited)	0.30
68: Tuskeego-----	Slightly limited ~slope/erodibility (slightly limited)	0.11	Slightly limited ~slope/erodibility (slightly limited)	0.02	Limited ~seasonal wetness (limited) ~low strength (limited)	0.91 0.80	Limited ~seasonal wetness (limited) ~flooding (moderately limited) ~low strength (moderately limited)	0.91 0.60 0.50	Limited ~seasonal wetness (limited) ~flooding (moderately limited)	0.91 0.60
70: Speed-----	Slightly limited ~slope/erodibility (slightly limited)	0.11	Slightly limited ~slope/erodibility (slightly limited)	0.02	Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80 0.15	Moderately limited ~flooding (moderately limited) ~low strength (moderately limited) ~seasonal wetness (slightly limited)	0.60 0.50 0.15	Moderately limited ~flooding (moderately limited)	0.60
72: Tice-----	Slightly limited ~slope/erodibility (slightly limited)	0.11	Slightly limited ~slope/erodibility (slightly limited)	0.02	Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80 0.15	Very limited ~flooding (very limited) ~low strength (moderately limited) ~seasonal wetness (slightly limited)	1.00 0.50 0.15	Limited ~flooding (limited)	0.90

Chariton County, Missouri: Detailed Soil Map Legend

Forest Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Erosion on roads and trails		Off-road or off-trail erosion		Soil rutting		Log landings		Seedling survival	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73: Tice-----	Slightly limited ~slope/erodibility (slightly limited)	0.11	Slightly limited ~slope/erodibility (slightly limited)	0.02	Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80 0.15	Moderately limited ~low strength (moderately limited) ~seasonal wetness (slightly limited)	0.50 0.15	Not limited	
78: Levasy-----	Slightly limited ~slope/erodibility (slightly limited)	0.11	Slightly limited ~slope/erodibility (slightly limited)	0.02	Limited ~low strength (limited) ~seasonal wetness (moderately limited)	0.80 0.60	Limited ~seasonally ponded (limited) ~seasonal wetness (moderately limited) ~stickiness (surface) (moderately limited)	0.80 0.60 0.50	Limited ~soil reaction (limited) ~seasonal wetness (moderately limited)	0.60 0.60
81: Haynie-----	Slightly limited ~slope/erodibility (slightly limited)	0.11	Slightly limited ~slope/erodibility (slightly limited)	0.02	Limited ~low strength (limited)	0.80	Moderately limited ~low strength (moderately limited)	0.50	Very limited ~seasonal wetness (very limited)	1.00
82: Sarpy-----	Slightly limited ~slope/erodibility (slightly limited)	0.06	Slightly limited ~slope/erodibility (slightly limited)	0.02	Moderately limited ~low strength (moderately limited)	0.50	Not limited		Very limited ~seasonal wetness (very limited) ~droughty (limited)	1.00 0.67
83: Landes-----	Slightly limited ~slope/erodibility (slightly limited)	0.11	Slightly limited ~slope/erodibility (slightly limited)	0.02	Moderately limited ~low strength (moderately limited)	0.50	Not limited		Very limited ~seasonal wetness (very limited)	1.00
84: Haynie-----	Slightly limited ~slope/erodibility	0.11	Slightly limited ~slope/erodibility	0.02	Limited ~low strength	0.80	Moderately limited ~low strength	0.50	Very limited ~seasonal wetness	1.00

Forest Management

[illegible]

Chariton County, Missouri: Detailed Soil Map Legend

Forest Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Erosion on roads and trails		Off-road or off-trail erosion		Soil rutting		Log landings		Seedling survival	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Cotter-----	Slightly limited ~slope/erodibility (slightly limited)	0.11	Slightly limited ~slope/erodibility (slightly limited)	0.02	Limited ~low strength (limited)	0.80	Moderately limited ~low strength (moderately limited)	0.50	Very limited ~seasonal wetness (very limited)	1.00
89: Norborne-----	Slightly limited ~slope/erodibility (slightly limited)	0.11	Slightly limited ~slope/erodibility (slightly limited)	0.02	Limited ~low strength (limited)	0.80	Moderately limited ~low strength (moderately limited)	0.50	Very limited ~seasonal wetness (very limited)	1.00
93: Booker-----	Slightly limited ~slope/erodibility (slightly limited)	0.11	Slightly limited ~slope/erodibility (slightly limited)	0.02	Limited ~low strength (limited) ~seasonal wetness (limited)	0.80 0.76	Limited ~seasonally ponded (limited) ~seasonal wetness (limited) ~stickiness (surface) (limited)	0.80 0.76 0.75	Limited ~seasonal wetness (limited)	0.76
94: Grable-----	Slightly limited ~slope/erodibility (slightly limited)	0.11	Slightly limited ~slope/erodibility (slightly limited)	0.02	Limited ~low strength (limited)	0.80	Moderately limited ~low strength (moderately limited)	0.50	Very limited ~seasonal wetness (very limited) ~soil reaction (limited)	1.00 0.60
99: Haynie-----	Slightly limited ~slope/erodibility (slightly limited)	0.11	Slightly limited ~slope/erodibility (slightly limited)	0.02	Limited ~low strength (limited)	0.80	Very limited ~flooding (very limited) ~low strength (moderately limited)	1.00 0.50	Very limited ~seasonal wetness (very limited) ~flooding (limited)	1.00 0.90
Waldron-----	Slightly limited ~slope/erodibility (slightly limited)	0.11	Slightly limited ~slope/erodibility (slightly limited)	0.02	Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80 0.20	Very limited ~flooding (very limited) ~stickiness (surface) (limited) ~low strength	1.00 0.75 0.50	Limited ~flooding (limited)	0.90

Chariton County, Missouri: Detailed Soil Map Legend

Forest Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Erosion on roads and trails		Off-road or off-trail erosion		Soil rutting		Log landings		Seedling survival	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
							(moderately limited)			
M-W: Water-----	Not rated		Not rated		Not rated		Not rated		Not rated	
W: Water-----	Not rated		Not rated		Not rated		Not rated		Not rated	